

Descripción / Description

El M-8C, es una unidad todo rango pasivo, que se puede utilizar para aplicaciones PA a 8 oh, y para megafonías con línea de 300 voltios, para estas aplicación permite la utilización de largas tiradas de cable de potencia sin pérdidas; monta un altavoz de amplia gama de 8 pulgadas; incorpora insertos para aplicar un hardware de volado, que con un solo herraje es capaz de formar todo tipo de formatos: Arrays horizontales, arrays verticales, clusters de 360° horizontales, Arrays de 360° cónicos, aplicaciones cenitales etc...

The M-8C, is a 2-way passive full range cabinet great for various applications. Can be used either as a low impedance speaker system (8-ohm speaker systems) for general sound reinforcement or as a high 300 Volts line which allows minimum signal loss when using power cabling over long distances. The cabinet houses one 8 inch full range driver and has integrated threats for attaching rigging hardware. This mean with one accessory can be set up in different configurations and application. The M-8C can be deployed as a horizontal array, vertical array or 360° conical cluster.







Cad

Front

Lateral

Rear

Cenital



Especificaciones / Specifications

RESPONSE

Frequency Range with Preset.

Coverage H x V

Power AES.

Program.

Máx. SPL (dB SPL @ 1 m.)

Transducers

ENCLOSURE

Net Weight.

Finish painted .

Grill perforate steel.

Connectors.

90 - 18.000 Hz

90° Conical

60 W.

120 W.

117 / 123

1 x 8"

Baltic birch plywood.

4 kg.


Warnex ® Black

Foam backed


PIN + / PIN -







Control Array angles



Array Configuration.



Zenith applications.



Wall applications

